## Lenovo ThinkPad Universal USB-C Dock(40AY0090EU)

# Lenovo ThinkPad Universal USB-C Dock - Docking station - USB-C - HDMI, $2 \times DP$ - 1GbE - 90 Watt - Campus

Lenovo understands that modern business depends on a wide variety of PCs and even brands to meet their business needs. To make this easier Lenovo USB-C dock is compatible with Lenovo notebooks as well as with notebooks from other manufacturers.



# **Key Selling Points**

Broad compatibility
One connection, no limitations
Ready for your command

## **Product Features**

#### **Broad compatibility**

Lenovo Docking station is compatible with Lenovo and non-Lenovo notebooks to expand data, power, and video.

#### One connection, no limitations

Think of all the time you'd save if you could connect all your peripherals at once, transfer USB data at 10 Gbps speeds, have access to a stable, stress-free wired network connection.

# Ready for your command

Completely control your ThinkPad systems with PXE Boot, System Wake-on-LAN from sleep mode, hibernate mode, and power off mode. It also supports passing ThinkPad MAC address through the dock. Those features are supported on selected ThinkPad notebooks.

# **Main Specifications**

Product Description	Lenovo ThinkPad Universal USB-C Dock - docking station - USB-C - HDMI, 2 x DP - $1\mbox{GbE}$
Product Type	Docking station
Docking Interface	USB-C
Video Interfaces	HDMI, 2 x DP
Dimensions (WxDxH)	17.1 cm x 8 cm x 3.075 cm
Weight	340 g
Colour	Black
Localisation	English / Europe, Vietnam, South Korea
Networking	Gigabit Ethernet
Power	Power adapter 90 Watt Power Provided
Manufacturer Selling Program	Lenovo Campus
Manufacturer Warranty	3-year warranty

# **Extended Specification**

## General

Product Type	Docking station
Width	17.1 cm
Depth	8 cm
Height	3.075 cm
Weight	340 g
Enclosure Colour	Black
Localisation	English / Europe, Vietnam, South Korea

# **Expansion / Connectivity**

Interfaces	USB 3.2 Gen 2 with Always-on charging   2 x USB 3.2 Gen 2   1 x USB-C - 24 pin USB-C   1 x network - 10Base-T/100Base-TX/1000Base-T - RJ-45   2 x audio / video - DisplayPort - 20 pin DisplayPort   1 x audio / video - HDMI - 19 pin HDMI
	Type A   1 x audio - headphones/microphone - mini-phone 3.5 mm 4-pole   2 x USB 2.0 - 4 pin USB Type A

### **Manufacturer Warranty**

|--|

# Networking

ta Link Protocol Gigabit Ethernet
-----------------------------------

# Miscellaneous

Cables Included	1 x USB-C to USB-C cable - external
Features	Security lock slot (cable lock sold separately), wake on LAN, pass through MAC address, Preboot Execution Environment (PXE) support, 100W output power with 135W power adapter connected, 65W output power with 90W power adapter connected
Security Slot Type	Kensington NanoSaver security slot / Kensington MicroSaver security slot
Compliant Standards	FCC, ICES, KCC, RCM, BSMI, VCCI, CB, cULus, EAC, TUV Mark, Kvalitet, LoA, SII, Ukraine EMC DoC, NOM, DisplayPort 1.4
Manufacturer Selling Program	Lenovo Campus

### Power

Power Device	Power adapter	
Power Provided	90 Watt	

# **Environmental Parameters**

Min Operating Temperature	0 °C
Max Operating Temperature	35 °C

# Video

Max Resolution Details	3840 x 2160 - 60 Hz	(Dual Display)	¦ 3840 x 2160 - 30 Hz (	(Triple Display)

## **System Requirements**

OS Required	Microsoft Windows 7 / 10
-------------	--------------------------

# **Dimensions & Weight (Shipping)**

Shipping Width	21 cm
Shipping Depth	15.8 cm

Shipping Height	7.5 cm
Shipping Weight	955 g

 $<sup>\</sup>ensuremath{^{*}\text{TD}}$  SYNNEX is not responsible for errors in the documentation of products.