

BTO/P34w-20(F213403P0) 34 inch Monitor(HDMI)(63F2RAT3EU)

Lenovo ThinkVision P34w-20 - LED monitor - curved - 34.14" - 3440 x 1440 UWQHD - IPS - 300 cd/m² - 1000:1 - 4 ms - 2xHDMI, 2xDisplayPort, USB-C - speakers - raven black



ThinkVision P34w-20 upgrades your view with a premium visual experience on a 34.14-inch curved screen with a WQHD 3440 x 1440 resolution for a wide-viewing panel that lets you see all the fine details and vibrant colors from any angle. With the P34w-20, you get true-to-life color accuracy, make multitasking a breeze with advanced tools for collaboration, and enhance workplace productivity and connectivity with USB Type-C capabilities. Never miss a shade with a 99% sRGB for reliable color accuracy straight out of the box, while Natural Low Blue Light technology reduces harmful blue light emissions to optimize eye comfort without color distortion. Multitasking is key to boosting your workplace productivity, and the P34w-20 is built with efficiency in mind, so it can better assist you whether you are in finance, creative or any other industry. Expand your view with a 21:9 wide aspect ratio. No matter the task, the P34w-20 delivers a smooth and premium experience with one-cable USB-C solution.

Key Selling Points

- An eye and ear for detail
- Master the art of multitasking
- Work unleashed with a single cable solution

Product Features

An eye and ear for detail

The P34w-20 kicks your work up a notch with outstanding visuals to show accurate colors from any angle. With WQHD 3440 x 1440 resolution, the monitor helps you capture even the smallest details while seeing true-to-life color with a 99% sRGB color calibration. The P34w-20 is also created with your health and comfort in mind, with eye-care and Natural Low Blue Light technology to reduce harmful blue light emissions. Adjust the monitor height to suit your ideal working style or position.

Master the art of multitasking

Get more done by doing less. A bigger screen leads to higher productivity, with more space to open multiple applications at the same time. P34w-20 offers a wide 21:9 aspect ratio, so you can see your entire project without the distracting bezels in the middle of a dual display setup.

Work unleashed with a single cable solution

The P34w-20 presents a perfect one-cable solution that checks the box for your connectivity needs. You can expand to dual displays by daisy-chaining through the DisplayPort connector.

Main Specifications

Product Description	Lenovo ThinkVision P34w-20 - LED monitor - curved - 34.14"
Device Type	LED-backlit LCD monitor - 34.14"
Energy Label QR Code URL	https://eprel.ec.europa.eu/screen/product/electronicdisplays/724811
Energy Class	Class F
Curved Screen	Yes
Features	KVM Switch, USB 3.2 Gen 1 hub, Ethernet network adapter, USB PD 100 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440
Pixel Pitch	0.2325 mm
Brightness	300 cd/m ²
Contrast Ratio	1000:1 / 3000000:1 (dynamic)
Response Time	4 ms (extreme), 6 ms (normal)
Colour Support	1.07 billion colours
Colour Gamut	99% sRGB
Input Connectors	2xHDMI, 2xDisplayPort, USB-C

Built-in Ethernet	Yes
Display Position Adjustments	Height, swivel, tilt
Screen Coating	Anti-glare
Voltage	AC 100-240 V (50/60 Hz)
Colour	Raven black
Dimensions (WxDxH) - with stand (lowest position)	81.73 cm x 24.5 cm x 46.93 cm
Weight	10.8 kg
Localisation	English / Europe
Environmental Standards	ENERGY STAR Qualified EPEAT Gold
Compliant Standards	RoHS, TUV Rheinland Flicker Free Certification, TUV Rheinland Eye Comfort Certification, TUV Hardware Low Blue Light Certification, TUV Rheinland Low Blue Light (Hardware Solution), TCO Certified 9.0, Eyesafe Certification
Manufacturer Warranty	3-year warranty

Extended Specification

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Label QR Code URL	https://eprel.ec.europa.eu/screen/product/electronicdisplays/724811
Energy Class	Class F
Energy Class (HDR)	Class G
Diagonal Size	34.14"
Curved Screen	Yes (3800R)
Built-in Devices	KVM Switch, USB 3.2 Gen 1 hub, Ethernet network adapter
USB Power Delivery	100 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440
Pixel Pitch	0.2325 mm
Pixel Per Inch	109
Brightness	300 cd/m ²
Contrast Ratio	1000:1 / 3000000:1 (dynamic)
Colour Support	1.07 billion colours
Colour Gamut	99% sRGB
Response Time	4 ms (extreme), 6 ms (normal)
Vertical Refresh Rate	60 Hz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare
Backlight Technology	WLED
Features	Picture by picture, daisy chain compatible, Picture-in-Picture, Delta E<2 calibration, 3-side NearEdgeless, 10-bit(8-bit + FRC) Colour Depth, Smart Power technology, HDR compliance, 9.5 mm bezel (side)
Colour	Raven black
Dimensions (WxDxH)	81.73 cm x 24.5 cm x 46.93 cm - with stand (lowest position)
Weight	10.8 kg

Manufacturer Warranty

Service & Support	Limited warranty - 3 years
-------------------	----------------------------

Miscellaneous

Features	Security lock slot (cable lock sold separately), Tiny support, Nano support
Included Accessories	VESA mount
Cables Included	1 x DisplayPort cable - 1.8 m 1 x power cable - 1.8 m 1 x USB-C to USB-A cable - 1.8 m 1 x USB-C cable - 1.8 m
Compliant Standards	RoHS, TUV Rheinland Flicker Free Certification, TUV Rheinland Eye Comfort Certification, TUV Hardware Low Blue Light Certification, TUV Rheinland Low Blue Light (Hardware Solution), TCO Certified 9.0, Eyesafe Certification
Localisation	English / Europe
Security Slot Type	Kensington security slot

Power

Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption SDR (On mode)	32 kWh/1000h
Power Consumption HDR (On mode)	34 kWh/1000h
Power Consumption (Typical)	36 Watt
Power Consumption (Max)	230 Watt
Power Consumption Stand by	0.5 Watt
Power Consumption Sleep	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt

Software / System Requirements

Included Software	Lenovo ThinkColour
OS Required	Windows 10, Windows 11

Audio

Type	Speakers
Output Power / Channel	3 Watt

Connectivity

Interfaces	USB-C 3.2 Gen 1 upstream/DisplayPort 1.2 Alt Mode with Power Delivery USB-C 3.2 Gen 1 downstream USB 3.2 Gen 1 upstream (Type B) 3 x USB 3.2 Gen 1 downstream 2 x HDMI DisplayPort 1.2 DisplayPort output LAN Audio line-out
------------	--

Dimensions & Weight

Dimensions & Weight Details	With stand (lowest position) - width: 81.73 cm - depth: 24.5 cm - height: 46.93 cm - weight: 10.8 kg With stand (highest position) - width: 81.73 cm - depth: 24.5 cm - height: 62.14 cm - weight: 10.8 kg Without stand - width: 81.73 cm - depth: 7.68 cm - height: 37.27 cm - weight: 7.4 kg
-----------------------------	---

Dimensions & Weight (Shipping)

Shipping Width	93.7 cm
Shipping Depth	22 cm
Shipping Height	47.5 cm
Shipping Weight	15.5 kg

Mechanical

Display Position Adjustments	Height, swivel, tilt
Tilt Angle	-5/+35
Swivel Angle	45
Height Adjustment	150 mm

VESA Mounting Interface	100 x 100 mm
-------------------------	--------------

Sustainability Information

EPEAT Compliant	EPEAT Gold
-----------------	------------

ENERGY STAR Certified	Yes
-----------------------	-----

*TD SYNEX is not responsible for errors in the documentation of products.