Apple(MYLJ3FN/A)

Apple Pro Display XDR Nano-texture glass - LED monitor - 32" - 6016 x 3384 @ 60 Hz - IPS - 1600 cd/m² - 1000000:1 - Thunderbolt 3



Introducing Apple Pro Display XDR. A massive 32-inch LCD display with Retina 6K resolution and 20.4 million pixels (screen size is measured diagonally). Gorgeous P3 wide color and 10-bit depth for over a billion colors and incredibly smooth gradients. Extreme Dynamic Range (XDR) with industry-leading brightness and contrast for vivid, true-to-life images. Super-wide viewing angle and reference modes based on industry standards. Nano-texture glass option for minimized glare. Pair with the modular Pro Stand (sold separately) for adjustability and flexibility on the go or use the VESA Mount Adapter to attach to VESA mounts or arms (sold separately). It's a groundbreaking display built for the most demanding professionals.

Key Selling Points

Apple Pro Display XDR. Believing is seeing.

Product Features

Features

32-inch LCD [1]

Retina 6K resolution (6016x3384 pixels)

Extreme Dynamic Range (XDR)

Brightness: 1,000 nits sustained, 1,600 nits peak [2]

Contrast ratio: 1,000,000:1

P3 wide color gamut, 10-bit color depth

Super-wide viewing angle

Reference modes

One Thunderbolt 3 port, three USB-C ports

Nano-texture glass

Legal

[1] Screen size is measured diagonally.

[2] In temperatures less than 25° C.

Main Specifications

Product Description	Apple Pro Display XDR Nano-texture glass - LED monitor - 32"
Device Type	LED-backlit LCD monitor - 32"
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	6016 x 3384 at 60 Hz
Brightness	1600 cd/m ²
Contrast Ratio	1000000:1
Colour Support	1.074 billion colours (10-bit)
Input Connectors	Thunderbolt 3
Screen Coating	Matte
Voltage	AC 100-240 V (50 - 60 Hz)
Dimensions (WxDxH) - without stand	71.8 cm x 2.7 cm x 41.2 cm
Weight	7.48 kg
Localisation	French / France, Belgium, Luxembourg

Environmental Standards ENERGY STAR Qualified

Manufacturer Warranty 1-year warranty

Extended Specification

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Diagonal Size	32"
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	6016 x 3384 at 60 Hz
Pixel Per Inch	218
Brightness	1600 cd/m ²
Contrast Ratio	1000000:1
Colour Support	1.074 billion colours (10-bit)
Horizontal Viewing Angle	+89 / -89
Vertical Viewing Angle	+89 / -89
Screen Coating	Matte
Backlight Technology	LED backlight
Features	Aluminum enclosure, BFR/PVC-free, Mercury free, beryllium free, arsenic free, Retina display, fully laminated display, True Tone display, 10-bit Colour Depth, P3 Wide Color Gamut, Extreme Dynamic Range (XDR), dual ambient light sensor, TCON (Timing Controller) colour calibration
Dimensions (WxDxH)	71.8 cm x 2.7 cm x 41.2 cm - without stand
Weight	7.48 kg

Manufacturer Warranty

Service & Support	Limited warranty -	1 year Technical suppor	t - phone consulting - 90 days
-------------------	--------------------	---------------------------	--------------------------------

Miscellaneous

Included Accessories	Cleaning cloth
Cables Included	1 x Thunderbolt 3 cable - 2 m
Localisation	French / France, Belgium, Luxembourg

Power

|--|

Environmental Parameters

Min Operating Temperature	10 °C
Max Operating Temperature	35 °C
Humidity Range Operating	5 - 95% (non-condensing)

Connectivity

Interfaces Thunderbolt 3 / USB-C (power up to 96W) 3 x USB-C	
--	--

Sustainability Information

ENERGY STAR Certified	Yes
ENERGY STAR Version	4.0

What's in the box

Apple Pro Display XDR Nano-texture glass Thunderbolt 3 cable - 2 m Cleaning cloth

 $\ensuremath{^{*}\text{TD}}$ SYNNEX is not responsible for errors in the documentation of products.