

Lenovo ThinkPad Universal USB-C Smart Dock(40B20135EU)

Lenovo ThinkPad Universal USB-C Smart Dock - Docking station - USB-C - HDMI, 2 x DP - 1GbE - 135 Watt - Campus - Europe - for ThinkPad E14 Gen 3; T14s Gen 2; X1 Carbon Gen 9; X1 Yoga Gen 6



The Lenovo ThinkPad Universal USB-C Smart Dock offers commercial customers a smart way to work. More than just a hub, it's a bridge to a more intelligent future, with universal USB-C compatibility and incredible performance for commercial users, and a secure cloud-based management solution for their IT managers, all powered by Microsoft Azure Sphere.

Key Selling Points

- Multiple USB ports and Ethernet interface for comprehensive connectivity
- Dual and triple display support with up to 3840 x 2160 resolution
- Includes Preboot Execution Environment (PXE) support for advanced networking
- 135 W power adapter for efficient device charging and operation

Product Features

Universal dock compatibility

Boost the value of your investment with the broad compatibility of the ThinkPad Universal USB-C Smart Dock. Supporting both Thunderbolt 3 and 4, USB 4 and USB-C, and extended compatibility with a wide range of brands and Multi-OS notebooks, you'll be ready to overcome any obstacle.

Streamlined management

Break free from the old docking paradigm and streamline your management workflow with a range of time-saving innovations. With the ThinkPad Universal USB-C Smart Dock ready, you can remotely update its firmware without a PC connected, remotely manage ports, conduct data analytics, utilize diagnostic tools, and keep your system safe with Microsoft Azure Sphere security.

Main Specifications

Product Description	Lenovo ThinkPad Universal USB-C Smart Dock - docking station - USB-C - HDMI, 2 x DP - 1GbE
Product Type	Docking station
Docking Interface	USB-C
Video Interfaces	HDMI, 2 x DP
Dimensions (WxDxH)	17.1 cm x 8 cm x 3.075 cm
Weight	388 g
Colour	Black
Localisation	Europe
Networking	Gigabit Ethernet
Power	Power adapter 135 Watt Power Provided
Manufacturer Selling Program	Lenovo Campus
Manufacturer Warranty	3-year warranty
Designed For	ThinkPad E14 Gen 3 20YE; T14s Gen 2 20WM; X1 Carbon Gen 9 20XW, 20XX; X1 Yoga Gen 6 20XY, 20Y0

Extended Specification

General

Product Type	Docking station
Width	17.1 cm
Depth	8 cm
Height	3.075 cm
Weight	388 g
Enclosure Colour	Black
Localisation	Europe

Expansion / Connectivity

Interfaces	3 x USB 3.1 - 9 pin USB Type A 2 x USB 2.0 - 4 pin USB Type A 1 x USB-C - 24 pin USB-C 1 x network - 10Base-T/100Base-TX/1000Base-T - RJ-45 2 x audio / video - DisplayPort - 20 pin DisplayPort 1 x audio / video - HDMI - 19 pin HDMI Type A 1 x audio - headphones/microphone - mini-phone 3.5 mm 4-pole
------------	---

Manufacturer Warranty

Service & Support	Limited warranty - replacement - 3 years
-------------------	--

Networking

Data Link Protocol	Gigabit Ethernet
--------------------	------------------

Miscellaneous

Cables Included	1 x USB-C to USB-C cable - external
Features	Security lock slot (cable lock sold separately), 100W output power with 135W power adapter connected, Preboot Execution Environment (PXE) support, pass through MAC address, wake on LAN
Security Slot Type	Kensington security slot
Compliant Standards	TUV Mark, cULus, BSMI, ICES, VCCI, RCM, FCC, KCC, LoA, CB
Manufacturer Selling Program	Lenovo Campus

Power

Power Device	Power adapter
Power Provided	135 Watt

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	35 °C

Video

Max Resolution Details	3840 x 2160 - 60 Hz (Dual Display) 3840 x 2160 - 30 Hz (Triple Display)
------------------------	---

System Requirements

OS Required	Microsoft Windows 7 / 10, Windows 11
-------------	--------------------------------------

Dimensions & Weight (Shipping)

Shipping Width	21 cm
Shipping Depth	15.8 cm
Shipping Height	7.5 cm
Shipping Weight	1.245 kg

Compatibility Information

Designed For	Lenovo ThinkPad E14 Gen 3 20YE † ; Lenovo ThinkPad T14s Gen 2 20WM † ; Lenovo ThinkPad X1 Carbon Gen 9 20XW, 20XX † ; Lenovo ThinkPad X1 Yoga Gen 6 20XY, 20Y0
--------------	--

*TD SYNEX is not responsible for errors in the documentation of products.